


I HAD BEEN STUNG MANY TIMES BEFORE. IT WAS NO BIG DEAL.

WHEN REMOVING A STINGER, IT IS BEST TO BRUSH IT OUT WITH A SIDEWAYS MOVEMENT OF YOUR FINGER. GRABBING IT WILL ONLY INJECT MORE VENOM.



SOON MY EYES BEGAN TO ITCH, I STARTED TO SNEEZE UNCONTROLLABLY AND MY NASAL PASSAGES SLAMMED SHUT. WHEN I BECAME DISORIENTED, CONFUSED AND WOBBLY I DID THE ONLY SENSIBLE THING TO DO IN SUCH A DEBILITATED STATE.

I GOT INTO MY CAR AND DROVE HOME THROUGH HEAVY TRAFFIC.



MY WIFE LISA WAS AFRAID THAT
I WAS ALLERGIC AND GOING INTO
ANAPHYLACTIC SHOCK, I TRIED TO
REASSURE HER.

I DINK SWOLLEN
TONGUES ARE
COMMON DIS DIME
OF YEAR, HON.


HOW COULD I BE
ALLERGIC TO BEES? IVE
WORKED WITH THEM FOR
YEARS.

NEVERTHELESS, WE GOT ONLINE TO GET MORE INFORMATION ON THE




ANAPHYLAXIS IS A WHOLE-BODY FREAK OUT OF THE IMMUNE SYSTEM THAN CAN BE FATAL.





THE NEXT DAY I MADE AN APPOINTMENT TO SEE MY DOCTOR. HE PRESCRIBED AN EPIPEN AND INSTRUCTED ME ON ITS PROPER USE.



THE EPINEPHERINE AN EPIPEN INJECTS HELPS KEEP YOUR AIRWAYS OPEN AND YOUR HEART BEATING IF YOU'RE STUNG.

AHH, THAT'S
THE STUFF.

THE ALLERGIST I VISITED SAID THERE WAS A 95% CHANCE THAT MY NEXT STING WOULD BE MY LAST.
HE SUGGESTED I GO THROUGH RAPID DESENSITIZATION THERAPY.




TO TEST HOW

ALLERGIC I WAS, THEY
INJECTED ME WITH
INCREASINGLY
CONCENTRATED DOSES
OF VARIOUS INSECT
VENOMS AND THEN
CHECKED MY RESPONSE
TO EACH AFTER ABOUT
5-10 MINUTES.

APPARENTLY THERE WAS A SLIGHT REACTION TO THE LOWEST CONCENTRATION OF BEE VENOM.






ACCORDING TO MY
ALLERGIST, A LOW
FREQUENCY OF STINGS
CAN MYSTERIOUSLY LEAD
TO A BEE STING ALLERGY.
THIS IS WHAT HAPPENED TO
ME. I'M ALLERGIC BECAUSE
I HAVEN'T BEEN STUNG
ENOUGH!

DESENSITIZATION
REMEDIES THAT WITH A
SERIES OF VENOM SHOTS
THAT INCREASE IN
CONCENTRATION AND
VOLUME, GIVING YOUR
BODY A CHANCE TO
SLOWLY GET USED TO
THE VENOM





THEY STOPPED WHEN I REACTED TO THE FOURTEENTH VENOM SHOT AND TOLD ME TO COME BACK ON TUESDAY FOR THE REST OF THE SERIES. NOT SURPRISINGLY, THE SWELLING IN MY ARMS WAS PRETTY INTENSE THAT NIGHT. THEY HURT LIKE HECK BUT HAD ONE UNEXPECTED SIDE EFFECT.



I FINISHED THE SECOND SERIES OF INJECTIONS AND REACHED MY MAINTENANCE LEVEL WITHOUT INCIDENT. NOW I GET A SYRINGE FULL OF UNDILUTED BEE VENOM (THE EQUIVALENT OF 100 BEE STINGS) ONCE A MONTH. I'M NO LONGER REACTING TO THE VENOM.



WHAT AM I DOING HERE? DESPITE THE 22 SHOTS, MY DOCTOR SAYS THERE'S STILL A 5% CHANCE THAT ANOTHER STING COULD KILL ME. I SHOULD GO STUDY MOTHS OR GRASSHOPPPERS OR ANYTHING ELSE, BUT HERE I AM.

GUESS I'M JUST A SUCKER FOR A PRETTY FACE.

