







Photosynthesis

"gimme Some Sugar"

STARRING
WILBUR &
ANT EDNA



WHAT DO YOU MEAN "PASS?"




I MEAN, I'M NOT INTERESTED IN HOW PHOTOS ARE SYNTHESIZED. I DON'T EVEN HAVE A CAMERA.


I'M NOT TALKING ABOUT DEVELOPING PICTURES! I'M TALKING ABOUT THE PROCESS THAT TRAPS A TINY PACKET OF THE SUN'S ENERGY IN THE LIFE-SUSTAINING MOLECULE OF GLUCOSE THAT MAKES OUR VERY **EXISTENCE** POSSIBLE.



YOU'RE PULLING MY LEG.
NO. I'M TOTALLY SERIOUS.
oh.
uh... YOU ARE PULLING ON MY LEG.
sorry.



JUST LET ME EXPLAIN IT TO YOU.
PLEASE?
I FANCY MYSELF A BIT OF AN EXPERT.
fine



BRILLIANT! FIRST, LET'S CONSIDER THIS CHART.
YOU HAVE A CHART?
HOW ELSE WOULD I EXPLAIN IT?



REACTANTS

H₂O

LIGHT

CO₂

Photosynthesis!

O₂

H₂O


GLUCOSE

PRODUCTS


NOW, AS YOU CAN SEE, WATER, LIGHT AND CARBON DIOXIDE GO INTO THE PHOTOSYNTHETIC PROCESS AND OXYGEN, WATER AND GLUCOSE COME OUT.

PHOTOSYNTHESIS IS COMPOSED OF TWO SEPARATE SETS OF CHEMICAL REACTIONS: THE LIGHT-DEPENDENT REACTIONS AND THE LIGHT-INDEPENDENT REACTIONS.

THE LIGHT-DEPENDENT REACTIONS USE WATER AND ENERGY FROM A PHOTON OF LIGHT TO BUILD THE MOLECULES ATP AND NADPH. OXYGEN IS RELEASED AS WASTE. ATP AND NADPH ARE USED AS FUEL FOR THE LIGHT-INDEPENDENT REACTIONS.



THE LIGHT-INDEPENDENT REACTIONS DO NOT REQUIRE LIGHT DIRECTLY. IN THESE REACTIONS, CARBON DIOXIDE IS PULLED FROM THE AIR AND ATTACHED TO AN EXISTING MOLECULE. THEN THE ATP AND NADPH ARE USED TO TURN THAT MOLECULES INTO GLUCOSE.



IMPRESSIVE, HUH?



YEAH.

MOST ANTS DON'T HAVE CHARTS



SO, HOW DO PLANTS CATCH A PHOTON OF LIGHT?

DO THEY USE A CAGE OR DIG A DEEP HOLE AND COVER IT WITH LEAVES!

uh... NO AND NO.

OR

LET ME SHOW YOU.

IMAGINE THAT THIS PEBBLE IS A PHOTON OF LIGHT AND YOU ARE A LEAF.

O.K.

TOC

I HOPE THIS WORKS.

C'MON, C'MON.

YES!

NOW WHERE WERE WE?

WHAT ARE YOU DOING HERE? I'M DREAMING!

YOU CAN SAY THAT AGAIN, DWEBB!





whoop!

HUMPH!

SEAVE

..sigh..

IT'S BETTER THIS WAY. NOW WE CAN FOCUS ON PHOTOSYNTHESIS!






WE'RE GONNA NEED TO CUT THIS IN HALF, TOO.

I'M ON IT!


THYLAKOID

THE THYLAKOID'S MEMBRANE SEPARATES THE INTERIOR CHAMBER, OR LUMEN, FROM THE STROMA, THE FLUID-FILLED SPACE SURROUNDING THE THYLAKOID.

THE STROMA




SEVERAL PROTEINS AND OTHER MOLECULES ARE STUCK IN THE THYLAKOID MEMBRANE. LIGHT IS CAPTURED BY CLUSTERS OF CHLOROPHYLL MOLECULES IN THE MEMBRANE CALLED PHOTOSYSTEMS.



IN PLANTS THERE ARE TWO TYPES, CLEVERLY NAMED PHOTOSYSTEM I AND PHOTOSYSTEM II

FOR THIS EXPLANATION, WE'LL START WITH PHOTOSYSTEM II.

SHOULDN'T WE START AT PHOTOSYSTEM I SINCE, WELL, IT HAS THE NUMBER ONE IN ITS NAME?




NOPE. TRUST ME ON THIS.




TRUST YOU? YOU HIT ME WITH A ROCK!






AND YOU'RE LEARNING ABOUT PHOTOSYNTHESIS. IT'S WIN WIN!


THE PHOTOSYSTEM HAS TWO MAJOR REGIONS. THE LARGE **ANTENNA COMPLEX** SURROUNDS THE SMALLER **REACTION CENTER**. ENERGY FROM A PHOTON OF LIGHT IS ABSORBED BY THE CHLOROPHYLL IN THE ANTENNA COMPLEX AND FUNNELED TO THE REACTION CENTER.



IMAGINE I'M A **CHLOROPHYLL** MOLECULE AND YOU ARE A SPECIAL PAIR OF MOLECULES IN THE REACTION CENTER CALLED **P680**.







MM!
MM!
MM!

YOU'RE RIGHT. WE DO NEED TO REPLACE P680'S ELECTRON. OTHERWISE, WE CAN ONLY DO THIS TRICK ONCE.


MM!
MMM!

OH, RELAX. WE'LL SEE WHAT YOUR HEAD IS DOING IN A FEW MINUTES.

TO REPLACE THE ELECTRON LOST BY P680 IN PHOTOSYSTEM II, WE WILL NEED TO TAKE ONE FROM ANOTHER MOLECULE. IN THIS CASE, THAT OTHER MOLECULE IS WATER.



THERE'S A REGION OF PHOTOSYSTEM II CALLED THE OXYGEN EVOLVING COMPLEX (O.E.C.) THAT SPLITS WATER INTO THREE PARTS: HYDROGEN, OXYGEN & ONE OF THE ELECTRONS THAT KNITS THEM TOGETHER.



STROMA

STROMA

LUMEN

PSII

O.E.C.

AND THE ELECTRON REPLACES THE ONE LOST BY P680 IN PHOTOSYSTEM II

THE HYDROGEN IONS ACCUMULATE IN THE THYLAKOID LUMEN...



... THE OXYGEN IS GIVEN OFF AS A WASTE PRODUCT...

HOW DO YOU FEEL?

LIGHT-HEADED.


O₂

STOICHIOMETRY NOTE: O₂ IS GIVEN OFF BECAUSE THE O.E.C. CLEAVES TWO WATERS




AS YOU RECALL, THE ELECTRON FROM P680 WAS CARRIED AWAY BY PLASTOQUINONE. PQ TAKES THE ENERGIZED ELECTRON TO THE CYTOCHROME COMPLEX WHICH USES THE ELECTRON'S EXTRA ENERGY TO PUMP MORE HYDROGEN INTO THE LUMEN.

MORE?
THE LUMEN ALREADY HAS A BUNCH OF EXTRA HYDROGEN FROM THE WATER WE SPLIT.



TRUE. BUT, WE NEED THEM TO MAKE ATP.




RIGHT. AND HOW EXACTLY IS THAT GONNA HAPPEN?

I'LL SHOW YOU. BUT FIRST WE MUST GO INTO THE LUMEN!




THERE ARE LOTS OF HYDROGEN IONS INSIDE THE LUMEN, BUT NOT VERY MANY IN THE SURROUNDING STROMA. THE DIFFERENCE IN CONCENTRATION ACROSS THE THYLAKOID MEMBRANE IS CALLED A CONCENTRATION GRADIENT.




IT TAKES THE HARD WORK OF THE CYTOCHROME COMPLEX TO MAINTAIN THE CONCENTRATION GRADIENT. IN NATURE, THINGS LIKE TO SPREAD THEMSELVES OUT EVENLY. GIVEN A CHANCE, THE HYDROGEN IONS CRAMMED INTO THE LUMEN WOULD

CROSS THE THYLAKOID MEMBRANE AND SPREAD OUT INTO THE STROMA.



ALL OF THE POSITIVELY CHARGED HYDROGEN IONS ARE PACKED IN TIGHTLY AND THEIR POSITIVE CHARGES REPEL EACH OTHER.



POSITIVE POWER!

I LOVE PUPPIES!


RAINBOWS ARE PRETTY!




EVERYTHING IS BEAUTIFUL, IN IT'S OWN WAY!






...ugh... they're repelling me too...






YEAH, WELL, BETWEEN THE CONCENTRATION GRADIENT AND ALL OF THEIR POSITIVE CHARGES, THE HYDROGEN IONS REALLY WANT TO LEAVE THE LUMEN AND SPREAD OUT INTO THE STROMA.

HOWEVER, THE ONLY TYPE OF DOOR ACROSS THE THYLAKOID MEMBRANE THEY CAN USE IS A PROTEIN CALLED ATP SYNTHASE.









NOW WHAT?

NOW THE ATP AND NADPH ARE USED IN THE LIGHT-INDEPENDENT REACTIONS TO MAKE A SUGAR MOLECULE.

FINALLY. WHERE DO WE START?

THERE! IT ALL BEGINS WITH...

...THE MIGHTY RUBISCO!

WHAT IS THAT?

THAT IS PROBABLY THE MOST ABUNDANT ENZYME ON EARTH.

WHAT DOES IT DO?


RUBISCO COMBINES CO_2 WITH A FIVE CARBON MOLECULE CALLED RuBP IN A PROCESS KNOWN AS "CARBON FIXATION."



BECAUSE SUGAR IS A RING OF CARBON. IF THE LIGHT-INDEPENDENT REACTIONS ARE GONNA MAKE SUGAR, THEY'VE GOT TO GET THE CARBON BUILDING BLOCKS FROM SOMEWHERE.

SO, PLANTS PULL WHAT THEY NEED RIGHT FROM THE AIR.


O.K. THAT'S COOL.




CO₂

SO, WAIT. IF RUBISCO PULLS CO₂ FROM THE AIR, WHERE DOES IT GET RUBP?

GREAT QUESTION. THE ANSWER LIES IN THE SENSATIONAL, SWIRLING CALVIN CYCLE!




WE'RE BREAKING UP!
WE'RE BREAKING UP!




WHEN RUBISCO COMBINES CO₂ WITH RUBP, IT MAKES AN UNSTABLE 6-CARBON MOLECULE THAT IMMEDIATELY SPLITS INTO TWO MOLECULES OF 3-PHOSPHOGLYCERATE

the Calvin Cycle

FOR EVERY 6 MOLECULES OF G3P MADE IN THE CYCLE AND ARE FURTHER MOIDLED TO MAKE MORE RUBP.



IN THE NEXT PHASE, THE CHEMICAL ENERGY IN ATP AND NADPH IS USED TO CHANGE THE 3-PHOSPHOGLYCERATE MOLECULES OF G3P.




ZAP!



THE CHEMICAL ENERGY IS USED TO CHANGE THE MOLECULES OF G3P.






BZZT!




ONE OUT OF EVERY SIX G3P MOLECULES MANUFACTURED LEAVES THE CYCLE AND GOES ON TO MAKE SUGAR.



SWEET!





... AND THE ATP AND NADPH IN THE STROMA MOVE ON TO THE CALVIN CYCLE...

... WHERE RUBISCO GRABS CO₂ FROM THE AIR AND COMBINES IT WITH RUBP ULTIMATELY MAKING G3P...

... AND YOU'RE TELLING ME AFTER ALL OF THAT WE STILL DON'T HAVE ANY GLUCOSE?



CORRECT. AFTER IT POPS OUT OF THE CALVIN CYCLE, G3P CAN BE TURNED INTO A NUMBER OF THINGS INCLUDING GLUCOSE.



GREAT. SO LET'S KEEP GOING.

WELL, I DON'T KNOW.


TECHNICALLY G3P IS THE END OF PHOTOSYNTHESIS AND THAT'S ALL I SAID WE'D TALK ABOUT.

I'M NOT REALLY FAMILIAR WITH THE BIOCHEMICAL PATHWAYS THAT CONVERT G3P INTO GLUCOSE.

BUT... I WANTED SOMETHING SWEET!

AND YOU GOT IT!

THE SWEET, SWEET TASTE OF NEW KNOWLEDGE!






GEE-WHIZ, WILBUR. IF YOU REALLY WANTED SOMETHING SWEET YOU COULD HAVE CONJURED IT ANYTIME

YOU ARE DREAMING AFTER ALL.

GSP



WILBUR?




WOULD YOU SNAP OUT OF IT!

I JUST WENT TO A LOT OF TROUBLE TO EXPLAIN SOMETHING AMAZING.

I THINK YOU OWE ME A THANK-YOU.

WHA-?

OH-OH..YES, YOU'RE RIGHT. I'M BEING RUDE.







Let's see...

..how can i express my thanks..?

AH!

THIS WILL WORK!



... I
WOULDN'T
DREAM OF
IT.

